

(一)木呂田本郷線		数 量 総 括 表			NO. 0～KA1-1 (NO. 6+8. 149)	
工 種	種 別	細 目	単位	計算過程の数値	設計計上数値	摘 要
道路改良						
道路土工						
	掘削工					
	オープンカット	ㄥ質土	m <sup>3</sup>	0.0	0	計第 2表
	鋤 取	粘性土	m <sup>3</sup>	0.0	0	計第 3表
	路床盛土工					
	流用土路床	W>4.0m	m <sup>3</sup>	0.0	0	計第 6表
	路体盛土工					
	流用土路体	1.0≦W<2.5m	m <sup>3</sup>	0.0	0	計第 7表
		2.5≦W<4.0m	m <sup>3</sup>	0.0	0	計第 8表
		W>4.0m	m <sup>3</sup>	0.0	0	計第 8表
	法面路体盛土	W<2.5m	m <sup>3</sup>	37.1	40	
	歩道盛土		m <sup>3</sup>	0.0	0	計第 9表
	路肩盛土		m <sup>3</sup>	0.0	0	計第 9表
	路外盛土		m <sup>3</sup>	0.0	0	計第 10表
	法面整形工					
	オープンカット部	ㄥ質土	m <sup>2</sup>	0.0	0	計第 15表
購入土						
	購入土	ㄥ質土	m <sup>3</sup>	49.4	50	計第 1表
作業残土処理工						
	残土処分	粘性土	m <sup>3</sup>	0.0	0	計第 1表
法面工						
	切土法面	種子吹付	m <sup>2</sup>	0.0	0	計第 15表
	盛土法面	張コンクリート	m <sup>2</sup>	156.8	157	計第 16表
構造物取壊工	アスファルト舗装取り壊し		m <sup>2</sup>	798.3	800	計第 4表
		t=5cm	m <sup>3</sup>	39.9	40	計第 5表
		2.35t/m3	t	93.8	94	
擁壁工						
	作業土工					
	床 掘	ㄥ質土	m <sup>3</sup>	0.0	0	計第 11表
	埋 戻	埋戻種別(D)	m <sup>3</sup>	0.0	0	計第 11表
	基面整正	ㄥ質土	m <sup>2</sup>	0.0	0	計第 11表
	2号芝台ブロック		m	0.0	0	計第 17表

工 種	種 別	細 目	単位	計算過程の数値	設計計上数値	摘 要
舗装工						
	車道舗装					
	表 層	密粒度アスコン t=5cm	m <sup>2</sup>	1,036.6	1,040	計第 18表
	上層路盤	粒度調整碎石 t=10cm	m <sup>2</sup>	1,038.1	1,040	計第 18表
	下層路盤	切込碎石 t=15cm	m <sup>2</sup>	1,039.5	1,040	計第 18表
	不陸整正	車 道	m <sup>2</sup>	1,039.5	1,040	計第 18表
	路肩舗装					
	表 層	密粒度アスコン t=5cm	m <sup>2</sup>	43.1	43	計第 19表
	路 盤	切込碎石 t=10cm	m <sup>2</sup>	42.1	42	計第 19表
	不陸整正	路 肩	m <sup>2</sup>	42.1	42	計第 19表
	歩道舗装					
	表 層	細粒度アスコン t=3cm	m <sup>2</sup>	386.4	386	計第 20表
	路 盤	切込碎石 t=10cm	m <sup>2</sup>	386.4	386	計第 20表
	不陸整正	歩 道	m <sup>2</sup>	386.4	386	計第 20表
	取付道路舗装					
	簡易舗装					
	表 層	密粒度アスコン t=4cm	m <sup>2</sup>	0.0	0	計第 21表
	上層路盤	粒度調整碎石 t=10cm	m <sup>2</sup>	0.0	0	計第 21表
小型水路工						
	作業土工					
	床 掘	ㄱ質土	m <sup>3</sup>	0.0	0	計第 12表
	埋 戻	埋戻種別(D)	m <sup>3</sup>	0.0	0	計第 12表
	基面整正	ㄱ質土	m <sup>2</sup>	0.0	0	計第 12表
	側溝工					
	PU1-B300-H300		m	0.0	0	計第 22表
	PU1-B450-H450		m	0.0	0	計第 22表
	PU2-B300-H300		m	0.0	0	計第 22表
	PU3-B300-H300		m	0.0	0	計第 22表
	U1-B300-H400		m	0.0	0	計第 22表
	1号縦溝		m	0.0	0	計第 22表
	側溝蓋	PC3-B300	枚	0.0	0	計第 22表
	管渠工					
	P1-RC-D300		m	0.0	0	計第 22表
	P1-RC-D800		m	0.0	0	計第 22表
	PVC-800		m	0.0	0	計第 22表
	集水桝工					
	G1-B500-L500-H450		ヶ所	0.0	0	計第 22表
	G2-B500-L500-H550		ヶ所	0.0	0	計第 22表

[illegible]

計第 1 表 土 量 配 分 表

工 種	種 別	細 目	記号	単位	地山の立積	変化率	換算土量	流用計画
土 工								
	掘 削							
	オープンカット	ㄱ質土	C2(SE)	m <sup>3</sup>	0.0	0.9	0.0	
	鋤取	粘性土	C(E)	〃	0.0	0.9	0.0	
	盛 土							
	路 床	W>4.0m	B1d	〃	37.1			
	合計			〃	37.1	0.9	41.2	
	路 体	1.0≤W<2.5m	B2b	〃	0.0			
		2.5≤W<4.0m	B2c	〃	0.0			
		W>4.0m	B2d	〃	0.0			
	合計			〃	0.0			
	歩道盛土		B3	m <sup>3</sup>	0.0			
	路肩盛土		B4	〃	0.0			
	合計			〃	0.0			
	路外盛土		B'	m <sup>3</sup>	0.0			
	擁壁工作業土工							
	床 掘	ㄱ質土	E(SE)	m <sup>3</sup>	0.0	0.9	0.0	
	埋 戻	埋戻種別(D)	Fu(D)	〃	0.0			
	小型水路工作業土工							
	床 掘	ㄱ質土	E(SE)	m <sup>3</sup>	0.0	0.9	0.0	
	埋 戻	埋戻種別(D)	Fu(D)	〃	0.0			
不足土								
	不足土			m <sup>3</sup>	49.4	1.2	41.2	
						鋤取	0.0	
		粘性土		m <sup>3</sup>	0.0	0.9	0.0	

計 第 2 表 掘 削					計 算 書			
測 点	オープンカット (埴質土)				盛土法面			
	距 離	C2(SE)	平 均	立 積	距 離	1	平 均	平 積
(左側)								
NO. 1								
NO. 2								
NO. 3								
NO. 4								
NO. 5								
						0.0		
					6.7	0.8	0.40	2.7
NO. 6					11.4	0.8	0.80	9.1
					5.0	0.8	0.80	4.0
KA1-1					0.6	0.0	0.40	0.2
左側合計								16.0
(右側)								
NO. 0						0.3		
					13.0	0.0	0.15	2.0
						0.0		
						0.0		
NO. 1					7.0	0.3	0.15	1.1
						0.0		
						0.0		
NO. 2					20.0	0.3	0.15	3.0
						0.0		
						0.0		
NO. 2						0.0		
NO. 3					20.0	0.3	0.15	3.0
NO. 4					20.0	0.3	0.30	6.0
NO. 5					20.0	0.3	0.30	6.0
								21.1
合 計				0.0				37.1

計 第 4 表 アスファルト舗装版取り壊し 計 算 書

[illegible]

## 計 第 16 表 盛土法面

## 計 算 書

測 点	張コンクリート							
	距 離	lc	平 均	平 積	距 離	l	平 均	平 積
(左側)								
NO. 1								
NO. 2								
NO. 3								
NO. 4								
NO. 5								
		1.6						
NO. 6	11.4	1.6	1.60	18.2				
	5.6	1.6	1.60	9.0				
KA1-1	1.0	0.6	1.10	1.1				
左側合計				28.3				
(右側)								
NO. 0								
		1.1						
NO. 1	24.1	1.1	1.10	26.5				
	6.5	1.0	1.05	6.8				
NO. 2								
		0.0						
NO. 2	6.9	1.3	0.65	4.5				
NO. 3	20.0	1.3	1.30	26.0				
NO. 4	20.0	1.3	1.30	26.0				
NO. 5	20.0	1.3	1.30	26.0				
	9.8	1.3	1.30	12.7				
右側合計				128.5				
左右合計				156.8				

計 第 18 表 舗装工(車道舗装) 計 算 書

[illegible]







## 延 長 調 書

[illegible]

