

レベル1(工事区分) 道路改良

レベル2(工種) 構造物撤去工

レベル3(種別)	レベル4(細別)	レベル5(規格)	積算単位	数量計算単位	数量区分			合計						内訳数量表別紙	備考
道路付属物撤去工			式												
	フェンス撤去(金網)	H=1.05m	m	m	合 計			0.0	0.0	0	0	0	0		
								0.0	0.0						
	フェンス撤去・移設	H=1.80m	m	m	合 計			0.0	0.0	0	0	0	0		
								0.0	0.0						
	門扉撤去・移設	H=1.80m	m	m	合 計			0.0	0.0	0	0	0	0		
								0.0	0.0						
	ガードレール撤去		m	m	合 計			0.0	0.0	0	0	0	0		
					Gr-C-2B			0.0	0.0						
					Gr-C-4E			0.0	0.0						
	ガードレール撤去・移設		m	m	合 計			0.0	0.0	0	0	0	0		
					Gr-C-4E			0.0	0.0						
構造物取壊し工			式												
	コンクリート構造物取壊し		m3	m3	合 計			49.9	49.9	0.0	0.0	0.0	0.0		
					無筋構造物	H<5m		0.0							H:施工基面からの高さ
						5m≤H≤5m		49.9	49.9						
						5m<H		0.0							
	舗装版取壊し	[舗装版種別、舗装版厚] アスファルト舗装版	m2	m2	合 計			1,734.0	1,734.0	0.0	0.0	0.0	0.0		
					機械施工	t≤10cm	t=3cm	0.0	0.0						t:舗装版厚さ
						t≤10cm	t=5cm	1,734.0	1,734.0						
	舗装版切断	アスファルト舗装版	m	m	合 計			14.0	14.0	0.0	0.0	0.0	0.0		
						t≤20cm	t=3cm	0.0	0.0						t:舗装版厚さ
						"	t=5cm	14.0	14.0						
運搬処理工			式	m3											
	殻運搬処理	無筋コンクリート殻	m3	m3	合 計			49.9	49.9	0.0	0.0	0.0	0.0		
								49.9	49.9						
		アスファルト殻	m3	m3	合 計			86.7	86.7	0.0	0.0	0.0	0.0		
								86.7	86.7						
	現場発生品運搬	撤去分	m	m	合 計			0.0	0.0	0.0	0.0	0.0	0.0		
					Gr-C-2B			0.0	0.0						参考重量W=0 kg
					Gr-C-4E			0.0	0.0						
					H=1.05m			0.0	0.0						
		移設分	m	m	合 計			0.0	0.0	0.0	0.0	0.0	0.0		
					Gr-C-4E			0.0	0.0						参考重量W=0 kg
					H=1.80m			0.0	0.0						
					H=1.80m			0.0	0.0						

レベル1(工事区分) 道路改良

レベル2(工種) コンクリート撤去

[illegible]

レベル1(工事区分) 道路改良

レベル2(工種) コンクリート撤去

第 表		構造物撤去工						数 量 計 算 書 (2)						
測 点	距 離	コンクリート撤去												摘 要
		Co (P)	平 均	立 積		平 均	立 積		平 均	立 積		平 均	立 積	
NO. 3+20	0. 00	0. 3												
NO. 3+40	20. 00	0. 5	0. 40	8. 0										
NO. 3+60	20. 00	0. 3	0. 40	8. 0										
NO. 3+80	20. 00	0. 3	0. 30	6. 0										
KA2-1 (NO. 3+97. 492)	19. 49	0. 0	0. 15	2. 9										
NO. 4+00	0. 51													
NO. 4+20	20. 00													
KE2-1 (NO. 4+24. 714)	4. 71													
KE2-2 (NO. 4+40. 650)	15. 94													
NO. 4+60	19. 35													
KA2-2 (NO. 4+67. 872)	7. 87													
NO. 4+80	12. 13													
NO. 5+00	20. 00													
KA3-1 (NO. 5+12. 324)	12. 32													
NO. 5+20	7. 68													
KE3-1 (NO. 5+38. 038)	18. 04													
KE3-2 (NO. 5+46. 345)	8. 31	0. 0												
NO. 5+60	13. 65	0. 2	0. 10											
KA3-2 (NO. 5+72. 059)	12. 06	0. 2	0. 20											
小 計	252. 06			24. 9m3			0. 0m3							
合 計				49. 9m3			0. 0m3							

レベル1(工事区分) 道路改良

レベル2(工種) アスファルト撤去

第 表		構造物撤去工						数 量 計 算 書 (1)						
測 点	距 離	アスファルト舗装撤去t=5cm			アスファルト舗装撤去t=3cm			舗装版切断 (t=5cm)			舗装版切断 (t=3cm)			摘 要
		As (5)	平 均	面 積		平 均	面 積		平 均	延長		平 均	延長	
撤去工平面図より														
舗装撤去①				709.0				切断①-1						
舗装撤去②				1025.0				切断①-2						
舗装撤去③								切断①-3						
舗装撤去④								切断②						
舗装撤去⑤	工事用道路							切断③						
市道舗装撤去①								切断⑤						
歩道舗装撤去①											切断④			
歩道舗装撤去②											切断⑥			
工事起点終点										14.0				
小 計				1734.0m2			0.0m2			14.0m			0.0m	
合 計				1734.0m2			0.0m2			14.0m			0.0m	
		V=1734*0.05=86.7		86.7m3			0.0m3							

